




— WE CREATE MOBILE WORKPLACES —

# IVECO

Daily



**SAFETY**



**QUALITY**



**WARRANTY**

# IVECO DAILY 9 M<sup>3</sup> H1

For price information, mounting time and content in our van racking packages, scan the QR code on the first page.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41400	2874	300	1220	56	20



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41401	1453	300	1220	33	20



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41402	2874	300	1220	74	56



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41403	1530	300	1220	69	55



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41404	2661	470	1220	74	42



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41405	1453	470	1220	50	31



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41406	2661	470	1000	97	102



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41407	1539	300	1220	58	50

# IVECO DAILY 10,8 M<sup>3</sup> H2

For price information, mounting time and content in our van racking packages, scan the QR code on the first page.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41420	2662	300	1440	58	33



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41421	1242	300	1440	32	20



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41422	2450	300	1440	69	44



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41423	1531	300	1440	72	59



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41424	2662	470	1440	76	43



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41425	1242	470	1440	50	33



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41426	2662	300	1440	94	87



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41427	1531	300	1440	73	67

# IVECO DAILY 12 M<sup>3</sup> H2

For price information, mounting time and content in our van racking packages, scan the QR code on the first page.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41440	3054	300	1440	64	35



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41441	1880	300	1440	44	25



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41442	2662	300	1440	75	59



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41443	1924	300	1440	76	60



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41444	3086	470	1440	96	39



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41445	1880	470	1440	66	37



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41446	3053	300	1440	103	68



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41447	1955	300	1440	88	74

# IVECO DAILY 16 M<sup>3</sup> H2

For price information, mounting time and content in our van racking packages, scan the QR code on the first page.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41460	4323	300	1440	89	29



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41461	2870	300	1440	60	26



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41462	4110	300	1440	115	60



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41463	2736	300	1440	90	66



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41464	4323	470	1440	129	44



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41465	3083	470	1440	96	50



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41466	4322	300	1440	131	80



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41467	2737	300	1440	101	80

# IVECO DAILY 17,5 M<sup>3</sup> H2

For price information, mounting time and content in our van racking packages, scan the QR code on the first page.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41480	4712	300	1440	94	37



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41481	3475	300	1440	74	29



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41482	4746	300	1440	128	66



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41483	3308	300	1440	130	87



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41484	4468	470	1440	134	45



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41485	3475	470	1440	111	44



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41486	4680	300	1440	165	99



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41487	3470	300	1440	107	62

# IVECO DAILY 13,4 M<sup>3</sup> H3

For price information, mounting time and content in our van racking packages, scan the QR code on the first page.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41500	2868	300	1795	72	46



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41501	1876	300	1840	61	48

# IVECO DAILY 13,4 M<sup>3</sup> H3



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41520	4288	300	1795	108	66



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41521	2870	300	1795	75	47

# IVECO DAILY 19,6 M<sup>3</sup> H3



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41540	4712	300	1440	94	37



Art.No	Length	Depth	Height	Kg	CO <sub>2</sub>
F41541	3475	300	1840	88	42

# INFORMATION



## GENERALLY

The kits include what you see in the drawing as well as installation parts, rubber mats to all shelves and foam to the drawers.

System Edström Bilinredningar AB is certified according to SS-EN ISO 9001:2015 to secure the administrative quality and to give us the possibility to keep a high accuracy on deliveries.

All material used in System Edström can be recycled to 100%. We are also certified according to SS-EN ISO 14001:2015.



## REMEMBER

Now that you have chosen to have System Edström in your vehicle you have taken the first and most important step to make your mobile workshop safe and functional. From here on it is up to you how safe and functional your working place will be.

Remember; You as the driver has the full responsibility if you or any one else is injured if the cargo is poorly secured. It is also your responsibility to make sure that the interior is mounted in the safest way possible whatever your choice of workshop, even if they are professionals with knowhow and long experience.



## SECURITY

We crash test our racking continuously at VTI, the Swedish National Road and Transport Research Institute. The crash tests are carried out according to the standard INRS NS 286 which applies to van racking.

Other types of tests are also carried out at test institutes, for example shake tests that simulate several years of use on the road. We also carry out our own tensile and pressure tests, to check, for example, the strength of load securing products.

Find out more about our company and products at [www.systemedstrom.com](http://www.systemedstrom.com).



### Vice

Depth	Width	Height	Kg	Part.No
360	135	140	10,3	5004


The forged vice is complete with pipe jaw and turning plate. Max opening 140 mm.



### Vice Holders

Depth	Width	Height	⇔	Kg	Part.No
1110	170	195	600	9,4	5012
1110	170	80	600	8,9	5013


Plate measurement 170x158 mm. Cover 2950 is included.



### Pegboard tray

Depth	Width	Height	Kg	Part.No
82	200	80	0,5	4360
82	285	102	0,8	4362
122	455	122	1,5	4364
153	179	575	3,0	4370

A number of different trays that solve (almost) all storage problems.



### Internal ladder holder

Length	Kg	Part.No
2000	4,9	T9000

Store your ladder on the inside of the roof, pull it back to the rear door in a simple operation.



### Hose/Cable rack

Depth	Width	Height	Kg	Part.No
79	267	168	0,5	4077

### Tube holder


66	194	123	0,4	4349
----	-----	-----	-----	------



### Universal hook

Depth	Width	Height	Kg	Part.No
85	80	100	0,2	4356
61	83	55	0,1	4357

Simplicity at its best, heavy duty hooks, to be mount on a pegboard or hang it on the edge of a shelf.



### Plastic bin for shelves

Depth	Width	Height	Kg	Part.No
300	145	154	0,4	3050
300	235	154	0,5	3052
470	145	154	0,5	3055
470	235	154	0,5	3057

### Transparent lid for plastic bins

Depth	Width	Fits	Kg	Part.No
300	150	3050	0,2	3060
300	240	3052	0,2	3062
470	150	3055	0,2	3065
470	240	3057	0,4	3067

### Dividers for plastic bins

Width	Height	Fits	Part.No
140	154	3050, 55	3070
230	154	3052, 57	3072

### Bracket for dropfront shelves

Depth	Kg	Part.No
300	0,1	3081
470	0,2	3082



### Clothes hook

Depth	Width	Height	Kg	Part.No
31	295	40	0,3	2706
31	465	40	0,5	2708


We call it a clothes hook but, needless to say, you can use it to hang up whatever you want on it.



### Strap with brackets

Information	Width	Part.No
1200 mm, nylon strap	25	4365
1000 mm, elastic strap	25	4366

The brackets will fit on our pegboards.



### Flexi shelf frame

Depth	Width	Height	Info.	Kg	Part.No
112	32	1788	2/set	11,8	1380
112	31	1788	1/set	4,9	1382

### Flexi shelf support

Depth	Width	Height	Shelf w.	Kg	Part.No
275	830	83	784	3,1	1308
275	1043	83	997	3,5	1312
275	1222	83	1176	3,9	1316
275	1435	83	1389	4,4	1322
275	1614	83	1568	4,8	1326

### Flexi shelf bracket

Information	Kg	Part.No
160 mm deep shelves, 2/set	0,6	1340
300, 400 & 470 mm deep shelves, 2/set	1,4	1342


### Flexi gas damper


Information	Kg	Part.No
2/set	0,1	1386

The shelf frames can be cut to fit your configuration. Loading capacity increases to 100 kg per shelf when mounted in a Flexirack. Shelves are adjustable to 4 pre-set angle on installation of 0, 4, 8 & 12 degrees.

Choose your shelves , 300, 400 and/or 470 mm depth. Our dropfront shelves will also fit, 300 and 470 mm depth. A shelf bracket will fit all different shelf depths.

Use the shelf bracket if you want to combine 160 mm deep shelves with other depths. 160 mm shelves are fixed, not foldable.





5951 & 5953

5962 & 5964



2813



5900


5901



5904



5905



5910

5911



5913



5931 - 5935



5940



5993 & 5996

### Airline tracks

Length	Kg	Part.No
295	0,2	5951
465	0,2	5953
1000	0,8	5962
1500	1,2	5964
3000	> 6	

### Airline lashing rings


Information	Kg	Part.No
Round aluminium	0,0	5900
Straight black plastic	0,1	5901

### Airline brackets

Information	Kg	Part.No
Angle bracket 53x80x112 mm	0,2	2813
Support plinth bracket 175x66x15/32 mm	-	5904
Bracket for shelf frame	-	5905
Bracket for plywood	-	5910
T-nut 2xM6	-	5911
T-nut 3xM6	-	5913
Mounting bolt M8x25		

### Airline straps

Information	Length	Kg	Part.No
Strap	200/ 700	0,1	5933
Strap	200/1200	0,2	5935
Strap	200/2200	0,3	5940
Strap with tensioner	500/2500	2,6	5993
Adjustable beam	1100-1660	3,5	5996
Adjustable beam	1600-2160		








### Accessory package No. 1

### Accessory package No. 2

### Accessory package No. 3



Art Nr

F11001

*Pegboard not included.*

Art Nr

F11002

*Pegboard not included.*

Art Nr

F11004

*Pegboard not included.*



WARRANTY



SAFETY



QUALITY

[www.systemedstrom.com](http://www.systemedstrom.com)

# SYSTEM EDSTRÖM

SYSTEM EDSTRÖM BILINREDNINGAR AB  
Raseborgsgatan 11  
164 74 Kista  
Sweden

CONTACT  
Order +46 (0)10 102 95 00  
Sales +46 (0)10 102 95 01  
Switchboard +46 (0)8 590 920 20  
[info@edstrom.se](mailto:info@edstrom.se)